# MINISTRY OF DEFENCE ESTATE DEVELOPMENT





# Water and Wastewater Services Provided under project Aquatrine (Package C) on behalf of Ministry of Defence (MoD), Water and Wastewater Assets (Pipes and Systems)

# **New Developments**

## Frequently Asked Questions (FAQs)

1. **Qu:** Why do I need to contact Severn Trent Services to make any changes to the water and waste water network / assets?

Ans: The Aquatrine contract transferred responsibility for the water and wastewater assets to Severn Trent Services Defence by way of leases and licenses and they became ours to manage and we have property rights over those assets. No-one should be interfering with or modifying the water or wastewater network without our approval. Any damage or interference, howsoever caused, must be reported to Severn Trent Services immediately.

2. **Qu:** Who are Severn Trent Services?

**Ans:** Severn Trent Services have been appointed by the MOD to manage and maintain the MOD water and wastewater networks and systems.

3. **Qu:** Is Severn Trent Services the same as Severn Trent Water?

**Ans:** No. Severn Trent Services are a commercial water services contractor which operates private water systems on behalf of the MoD across the country under the MOD Aquatrine Package C PFI contract. Severn Trent Water Limited are the Regulated Statutory Undertaker for water services in the Midlands.

4. **Qu:** How can we make changes on the Estate?

**Ans:** The MOD has a right under the Aquatrine contract to make changes. They can do that in two ways:

- 1. Instruct us themselves under Clause 43.5 and give STS a Work Instruction and we will carry out the works, or
- 2. Remove that part of the network from the MOD contract and carry out the work themselves or by their Contractors. They can achieve that removal by;
  - a. A Partial/Whole Site Group Disposal which would remove the area/whole site from Aguatrine.
  - b. Schedule 23 which would temporarily/permanently remove the area from Aquatrine.
- 5. **Qu:** What is a Schedule 23?

**Ans:** Schedule 23 allows the MOD to remove and later bring an area back into the scope of the Aquatrine contract without having to go through a Site Group removal/addition process.

- Schedule 23 transfers the water and wastewater assets in that area to the MOD who can then hand it to the developer.
- We are obligated to support the MOD with development projects under Schedule
  23 and we review and comment on the proposals.
- If the works to be carried out is going to impact the remaining network, we would advise what can be accommodated and what cannot. If the required changes would need downstream works to be carried out, then we would require a Work Instruction to carry out those works.
- If the changed network is not to the standard required, then we would not accept it back into Aquatrine.



6. **Qu:** Can STS carry out the works without an instruction from MOD on future works on existing assets and infrastructure which are impacted with the proposed development works?

Ans: Yes, STS have supported both MoD and its agents in many large and small scale works across their Estate. We have an in-house design team and very experienced direct labour organisation as well as an extensive supply chain to support. One of the key benefits of engaging with Severn Trent Services is that the assets and infrastructure will be guaranteed to be accepted into the scope of Aquatrine if constructed by STS. The support services of STS can either be provided direct to MoD or through their industry partners. Please contact one of our team if you require further details on the following link. \*(this page is currently work in progress and the link will be live soon, please email CommercialWaterServices@stservices.co.uk in the interim).

7. **Qu:** Once water and waste water assets are built by others will they automatically fall under the scope of Aquatrine?

**Ans:** No, until assets or infrastructure are inspected, quality checked and are formally handed over to STS they will remain out of scope, STS will not accept liability for any newly installed assets including water and waste water infrastructure until it is evidenced that they have been built to STS standards (Available on request) by competent and appropriately qualified personnel.

8. **Qu:** My property is not within the MoD boundary and I would like to connect to the MOD private network that STS maintain.

**Ans:** Connections to the network will result in the MOD paying for Consumption (charges for water and wastewater services) regardless of who has connected or why. The MOD must be in a position to engage with those 3rd parties to negotiate and conclude an MOD Contracted Customer (MCC) contract so that they can recover some or all of those costs from you the 3rd party. STS are custodians of the network, please refer to our MOD Contracted Customers (MCC's) section of the website.

9. **Qu:** Are SuD's within the Aquatrine Scope?

**Ans:** We (STS) do not take on SUDS as part of Aquatrine, Sewers for Adoption is a technical standard, designed for developers looking to Statutory Undertakers (SUs) to adopt said assets. STSD is not an SU and whilst we may be comfortable with MOD and MOD developers building to SFA, this does not include SUDS. We do not adopt geocellular type of attenuation or soakaways, we can provide the type of structures we would accept but you would need to submit your proposals in the first instance to comment on.

10. **Qu:** Is Land Drainage within the scope of Aquatrine?

**Ans:** Water, wastewater and surface water assets are in scope, but land drainage is strictly out of scope.

11. Qu: How can I contact Severn Trent Services?

**Ans:** You can use whichever contact method is the most convenient for you from the options below:

General Enquiries and questions:

Email: customer.enquiries@stservices.co.uk

• Telephone: 0345 3510208

## Estate Development:

• Email: estate.development@stservices.co.uk